DIVISION OF MAINTENANCE STRUCTURE MAINTENANCE & INVESTIGATIONS 100 South Main Street, 3rd Floor LOS ANGELES, CA 90012 PHONE (213) 897-2004 FAX (213) 897-2033



July 24, 2019

Mr. Marwan Youssef Director Of Public Works/City Engineer City of Westminster 8200 Westminster Blvd Westminster, CA 92683

Dear Mr. Youssef:

In accordance with Title 23 of the Code of Federal Regulations (Federal Highway Act) and the National Bridge Inspection Standards (NBIS), Caltrans Structure Maintenance and Investigations performed an inspection of 5 bridges under your jurisdiction. The type of inspection is indicated on the bridge report transmittal sheet. The bridges have been rated to indicate their deficiencies, structural adequacy, safe load carrying capacity and overall general condition.

Enclosed are copies of the Bridge Inspection Reports for the structures noted on the attached transmittal sheet. These reports contain descriptions of physical changes to the structures since the last inspection, recommendations for work to be done, and additional information not recorded in the previous Bridge Reports.

Your attention is directed to the requirements of Title 23, Part 650 of the Code of Federal Regulations, where newly completed structures or any modification of existing structures shall be entered in the inventory within 90 days. Please notify this office of any newly constructed bridge or culvert within your jurisdiction, more than 20 feet measured along the center of the roadway and carrying public vehicular traffic or over a public roadway, in order that it may be entered in the inventory of bridge structures in compliance with Federal requirements.

Should you have any questions regarding the enclosed Bridge Inspection Reports, please contact Bing Wu @ (213) 897-0874.

Sincerely

CHING CHAO Office Chief

Structure Maintenance & Investigations - (Investigations-South)

Enclosures

DIVISION OF MAINTENANCE STRUCTURE MAINTENANCE & INVESTIGATIONS 100 South Main Street, 3rd Floor LOS ANGELES, CA 90012 PHONE (213) 897-2004 FAX (213) 897-2033



Bridge Report Transmittal Sheet

Batch <u>51286</u>

City of Westminster			Inspe	ection	Outstanding	
Bridge #	Bridge Name	Location	Date	Туре	Work	Cost
55C0108	BOLSA CHICA CHANNEL	100' W BOLSA CHICA RD	04/05/2019	Routine	Y	\$
55C0402	ANAHEIM-BARBER CITY CHANNEL	0.2 MI N TRASK AVE	04/05/2019	Routine	Y	\$
55C0545	WESTMINSTER CHANNEL	0.3 MI S WESTMINSTER AVE	04/05/2019	Routine	Y	\$
55C0648	EAST GARDEN GROVE- WINTERSBURG CHANNEL	0.2 MI N/O DREY ROAD	04/05/2019	Routine	N	\$
55C0649	EAST GARDEN GROVE- WINTERSBURG CHANNEL	0.1 M S/O EDINGER	04/05/2019	Routine	N	\$

5 Bridge(s) in this Transmittal

DIVISION OF MAINTENANCE STRUCTURE MAINTENANCE & INVESTIGATIONS 100 South Main Street, 3rd Floor LOS ANGELES, CA 90012 PHONE (213) 897-2004 FAX (213) 897-2033



WEB SITES:

The National Bridge Inspection Standards (NBIS) Recording and Coding Guide for the Structure Inventory and Appraisal of the Nation's Bridges, Element Level Inspection, Structure Maintenance and Investigations Manuals, Local Assistance Program Guidelines and other related information are posted on Division of Maintenance, Structure Maintenance and Investigations; Division of Local Assistance, Local Highway Bridge Program (HBP) and FHWA websites.

The websites can be accessed at:

- 1. "Caltrans Structure Maintenance and Investigations" http://www.dot.ca.gov/hq/structur/strmaint/
- 2. "Caltrans Division of Local Assistance"

http/www.dot.ca.gov/hq/LocalPrograms/hbrr99/hbrr99a.htm

3. "FHWA" http/www.fhwa.dot.gov/BRIDGE/mtguide.pdf

Inspection Type Definitions

Routine Inspection:

Routine Inspections consist of both the initial Inventory Inspection (the first inspection of the bridge that places it in the bridge inventory or when there has been a change in the configuration of the structure) and subsequent regularly scheduled inspections. The initial inspection provides all the Structural Inventory & Appraisal (SI&A) data required by federal and state regulations, determines the baseline structural conditions, lists any existing problems, and establishes the load capacity of the structure. Subsequent inspections consist of observations, measurements needed to determine the physical and functional condition of the bridge, to identify any changes from the previously recorded conditions, and verification of its load capacity. These inspections are generally conducted from the deck, ground and/or water level, and from permanent work platforms and walkways, if present. Inspection of underwater portions of the substructure is limited to observations during low-flow periods and/or probing for signs of undermining. Special equipment should be utilized in circumstances where its use provides the only practical access to areas of the structure.

Fracture Critical, Special Feature & Underwater Inspections:

Fracture Critical, Special Feature, and Underwater Inspections are up close, hands-on inspections of one or more members above or below the water level to identify any deficiencies not readily detectable using Routine Inspection procedures. These inspections generally require special equipment such as under-bridge inspection equipment, manlifts, boats, traffic control, and railroad flagging. Personnel with special skills such as divers or structural steel inspectors trained in non-destructive testing techniques may be required.

Other Inspections:

Other Inspections are conducted on damaged structures, structures that have developed specific problems, or structures suspected of developing problems. The scope of these investigations should be sufficient to determine the need for emergency load restrictions or closure of the structure, monitor a changing condition, and to assess the level of effort necessary to effect a repair.



Structure Maintenance & Investigations

Bridge Number : 55C0649

Facility Carried: QUARTZ STREET
Location : 0.1 M S/O EDINGER

City : WESTMINSTER Inspection Date : 04/05/2019

Inspection Type

Bridge Inspection Report

Routine FC Underwater Special Other

STRUCTURE NAME: EAST GARDEN GROVE-WINTERSBURG CHANNEL

CONSTRUCTION INFORMATION

Year Built : 1997 Year Modified: N/A Length (m) : 19 Skew (degrees): 0
No. of Joints: 0
No. of Hinges: 0

Structure Description: Quadruple (14.4 feet W x 9.8 feet H X 50.0 feet L) RC box culvert

(grade top) beneath 1.0 foot of earth fill.

Span Configuration : (S) 4 @ 14.5 feet (N).

SAFE LOAD CAPACITY AND RATINGS

Design Live Load: MS-18+MOD OR HS-20+MOD

Inventory Rating: RF=1.00 =>32.4 metric tons
Operating Rating: RF=1.67 =>54.1 metric tons

Calculation Method: FIELD EVAL/ENG JUDGMENT Calculation Method: FIELD EVAL/ENG JUDGMENT

Permit Rating : PPPPP

Posting Load : Type 3: Legal

Type 3S2: Legal

Type 3-3:Legal

DESCRIPTION ON STRUCTURE

Deck X-Section: (W) 1.0 foot cu, 6.0 feet sw, 36.0 feet, 6.0 feet sw, 1.0 foot cu (E).

11.0 m

Total Width: 15.2 m Net Width:

No. of Lanes: 2 Speed: 25 mph

Min. Vertical Clearance: Unimpaired

Overlay Thickness: 2.0 inches

Rail Code: 0000

DESCRIPTION UNDER STRUCTURE

Channel Description: Natural earth trapezoidal with rock slopes upstream, RC rectangular downstream.

NOTICE

The bridge inspection condition assessment used for this inspection is based on the American Association of State Highway and Transportation Officials (AASHTO) Bridge Element Inspection Manual 2013 as defined in Moving Ahead for Progress in the 21st Century (MAP-21) federal law. The new element inspection methodology may result in changes to related condition and appraisal ratings on the bridge without significant physical changes at the bridge.

The element condition information contained in this report represents the current condition of the bridge based on the most recent routine and special inspections. Some of the notes presented below may be from an inspection that occurred prior to the date noted in this report. Refer to the Scope and Access section of this inspection report for a description of which portions of the bridge were inspected on this date.

INSPECTION COMMENTARY

SCOPE AND ACCESS

A complete routine inspection was performed by walking on and around the channel to inspect all visible elements of the structure. Culvert deck was inspected by walking on sidewalks. Soffit and all substructure were inspected by walking underneath the culvert boxes with rain boots due to water at 4.0 inches deep, 24.0 inches wide partially inside barrels #2 and #3 at the time of inspection.

There is no need for a special equipment to inspect this structure except rain boots if it is in raining season.

INSPECTION COMMENTARY

REVISIONS

Because the culvert is grade top so some NBI were changed as follows:

NBI #107 was modified from N.A. to 1.

NBI #108A was modified from N.A. to 6.

NBI #108B was modified from N.A.to 0.

NBI #108C was modified from N.A.to 0.

CULVERT

The Asphalt overlay of culvert surface is in good condtion.

Each headwall has three vertical cracks at (0.04 inches wide) mainly above the interior box walls.

Each headwall has three vertical cracks at (0.04 inches wide) mainly above the interior box walls.

The bottom surface of the top culvert slab has one longitudinal crack 0.04 inches wide at each of barrels #1 and #4 with efflorescence.

The following is the locations of culvert walls with cracks below: Box wall #1 has three vertical cracks 0.05 inches wide.

Box wall #2 has four vertical cracks up to 0.05 inches wide.

Box wall #3 has five vertical cracks up to 0.05 inches wide.

Box wall #5 has three vertical cracks up to 0.04 inches wide.

SAFE LOAD CAPACITY

A Load Rating Summary Sheet was archived on 08/08/2018 for this structure. The current rating has been assigned in accordance with SMI procedures for culverts. Based on the field conditions and load history, the culvert is adequate to carry legal loads.

Elem Defe No. /Pro	ot Defect Element Description ot	Env	Total Qty	Units	-	each Co		
241	Culvert-RC	2	60	m	52	8	0	0
113	Cracking (RC and Other)	2	. 8		0	8	0	0
510	Deck Wearing Surface-Asphalt	2	209	sq.m	209	0	0	0

Each headwall has three vertical cracks at (0.04 inches wide) mainly above the interior box walls.

The bottom surface of the top culvert slab has one longitudinal crack 0.04 inches wide at each of barrels #1 and #4 with efflorescence.

The following is the locations of culvert walls with cracks below: Box wall #1 has three vertical cracks 0.05 inches wide.

Box wall #2 has four vertical cracks up to 0.05 inches wide.

Box wall #3 has five vertical cracks up to 0.05 inches wide.

ELEMENT INSPECTION RATINGS AND COMMENTARY

Elem Defect Defect Element Description No. /Prot

Env Total Units Qty in each Condition State

St. 1 St. 2 St. 3 St. 4

Box wall #5 has three vertical cracks up to 0.04 inches wide.

(241-510)

There were no significant defects noted.

WORK RECOMMENDATIONS - NONE

Team Leader : Edwin Mah

Report Author: Nelson N. Vo

Inspected By : E.Mah/NN.Vo

dwin Mah (Registered Civil Engineer)

PROFESSIONA Edwin Mah No. <u>27141</u> 03/31/2021 CIVIL

STRUCTURE INVENTORY AND APPRAISAL REPORT

	**************************************		**************************************
(1)	STATE NAME- CALIFORNIA 069		SUFFICIENCY RATING = 96.9
(8)	STRUCTURE NUMBER 55C0649		PAINT CONDITION INDEX = N/A
	INVENTORY ROUTE (ON/UNDER) - ON 150000000		
	HIGHWAY AGENCY DISTRICT 12		
	COUNTY CODE 059 (4) PLACE CODE 84550		******* CLASSIFICATION ********** CODE
	FEATURE INTERSECTED- E GRON GRVE WNTRSBG CHAN	(112)	MDIG DEIDGE I DYGETT
			HITCHWAY CYCTEM NOT ON ATTE
	FACILITY CARRIED- QUARTZ STREET		
	LOCATION- 0.1 M S/O EDINGER		
	MILEPOINT/KILOMETERPOINT 0		DEFENSE HIGHWAY- NOT STRAHNET 0
	BASE HIGHWAY NETWORK- NOT ON NET 0		PARALLEL STRUCTURE- NONE EXISTS N
	LRS INVENTORY ROUTE & SUBROUTE		DIRECTION OF TRAFFIC- 2 WAY 2
(16)	LATITUDE 33 DEG 43 MIN 43.33 SEC		TEMPORARY STRUCTURE-
(17)	LONGITUDE 117 DEG 58 MIN 32.31 SEC		FED. LANDS HWY- NOT APPLICABLE 0
(98)	BORDER BRIDGE STATE CODE % SHARE %		DESIGNATED NATIONAL NETWORK - NOT ON NET 0
(99)	BORDER BRIDGE STRUCTURE NUMBER		TOLL- ON FREE ROAD 3
,	******* STRUCTURE TYPE AND MATERIAL, ******		MAINTAIN- CITY OR MUNICIPAL HIGHWAY AGENCY 04
	STRUCTURE TYPE MAIN: MATERIAL- CONCRETE CONT		OWNER- CITY OR MUNICIPAL HIGHWAY AGENCY 04
(43)	TYPE- CULVERT CONCRETE CONT	(37)	HISTORICAL SIGNIFICANCE- NOT ELIGIBLE 5
(44)	STRUCTURE TYPE APPR:MATERIAL- OTHER/NA		********* CONDITION *********** CODE
/	TYPE- OTHER/NA CODE 000	(58)	DECK
(45)	NUMBER OF SPANS IN MAIN UNIT 4		SUPERSTRUCTURE N
	NUMBER OF APPROACH SPANS 0	· · · · · · · · · · · · · · · · · · ·	SUBSTRUCTURE
	•	1 1	CHANNEL & CHANNEL PROTECTION 9
	DECK STRUCTURE TYPE- CIP CONCRETE CODE 1		CULVERTS 7
	WEARING SURFACE / PROTECTIVE SYSTEM:	• • •	·
	TYPE OF WEARING SURFACE- BITUMINOUS CODE 6		******* LOAD RATING AND POSTING ****** CODE
_	TYPE OF MEMBRANE- NONE CODE O TYPE OF DECK PROTECTION- NONE CODE O	(31)	DESIGN LOAD- MS-18+MOD OR HS-20+MOD 6
٠,	0001	(63)	OPERATING RATING METHOD- FIELD EVAL/ENG JUD 0
/ 1	********** AGE AND SERVICE **********	(64)	OPERATING RATING- 54.1
	YEAR BUILT 1997	(65)	INVENTORY RATING METHOD- FIELD EVAL/ENG JUE 0
	YEAR RECONSTRUCTED 0000	(66)	INVENTORY RATING- 32.4
(42)	TYPE OF SERVICE: ON- HIGHWAY-PEDESTRIAN 5 UNDER- WATERWAY 5	(70)	BRIDGE POSTING- EQUAL TO OR ABOVE LEGAL LOADS 5
(28)	LANES: ON STRUCTURE 02 UNDER STRUCTURE 00	(41)	STRUCTURE OPEN, POSTED OR CLOSED- A
	AVERAGE DAILY TRAFFIC 1000		DESCRIPTION- OPEN, NO RESTRICTION
(30)	YEAR OF ADT 2019 (109) TRUCK ADT 1 %		********** APPRAISAL ************************************
	BYPASS, DETOUR LENGTH 2 KM		Officiality at the first of the
1-27	· · · · · · · · · · · · · · · · · · ·		DEGY CHOMERDY
(40)	******** GEOMETRIC DATA ***********		UNDERCLEARANCES, VERTICAL & HORIZONTAL N
	LENGTH OF MAXIMUM SPAN 4.4 M		WATER ADEQUACY 8
	STRUCTURE LENGTH 19.0 M	•	APPROACH ROADWAY ALIGNMENT 8
	CURB OR SIDEWALK: LEFT 1.8 M RIGHT 1.8 M		TRAFFIC SAFETY FEATURES 0000
	BRIDGE ROADWAY WIDTH CURB TO CURB 11.0 M		SCOUR CRITICAL BRIDGES 8
	DECK WIDTH OUT TO OUT 15.2 M	,	ū
	APPROACH ROADWAY WIDTH (W/SHOULDERS) 11.0 M		******* PROPOSED IMPROVEMENTS *******
	BRIDGE MEDIAN- NO MEDIAN 0		TYPE OF WORK- CODE
	SKEW 0 DEG (35) STRUCTURE FLARED NO		LENGTH OF STRUCTURE IMPROVEMENT M
	INVENTORY ROUTE MIN VERT CLEAR 99.99 M	(94)	BRIDGE IMPROVEMENT COST
	INVENTORY ROUTE TOTAL HORIZ CLEAR 11.0 M MIN VERT CLEAR OVER BRIDGE RDWY 99.99 M	(95)	ROADWAY IMPROVEMENT COST
		(96)	TOTAL PROJECT COST
	MIN VERT UNDERCLEAR REF- NOT H/RR 0.00 M MIN LAT UNDERCLEAR RT REF- NOT H/RR 0.0 M	(97)	YEAR OF IMPROVEMENT COST ESTIMATE
	MIN LAT UNDERCLEAR LT 0.0 M	(114)	FUTURE ADT 2124
		(115)	YEAR OF FUTURE ADT 2037
	************ NAVIGATION DATA *********		************* INSPECTIONS ***********
	NAVIGATION CONTROL- NOT APPLICABLE CODE N	(90)	INSPECTION DATE 04/19 (91) FREQUENCY 48 MO
	PIER PROTECTION- CODE		CRITICAL FEATURE INSPECTION: (93) CFI DATE
	NAVIGATION VERTICAL CLEARANCE 0.0 M		FRACTURE CRIT DETAIL- NO MO A)
	VERT-LIFT BRIDGE NAV MIN VERT CLEAR M		UNDERWATER INSP- NO MO B)
(40)	NAVIGATION HORIZONTAL CLEARANCE 0.0 M	C)	OTHER SPECIAL INSP- NO MO C)




Photo No. 1 Deck View looking North




Photo No. 1 Side View looking West




Photo No. 1 Underside (barrel 4) View looking West.



Photo No. 1 Underside (barrel 3) View looking West.



Photo No. 1 Underside (barrel 2) View looking West.



Photo No. 1 Underside (barrel 1) View looking West.