



DEPARTMENT OF TRANSPORTATION
Structure Maintenance & Investigations

Bridge Number : 55C0178
Facility Carried: SILVERADO CANYN RD
Location : 4.9 MI. E/O SANTIAGO ROA
City :
Inspection Date : 07/12/2011

Bridge Inspection Report

Inspection Type

Routine	FC	Underwater	Special	Other
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

STRUCTURE NAME: SILVERADO CANYON CREEK

CONSTRUCTION INFORMATION

Year Built : 1947	Skew (degrees): 45
Year Widened: N/A	No. of Joints : 0
Length (m) : 12.8	No. of Hinges : 0

Structure Description: Simply supported single span steel girders (4 each) with RC open end seat abutments, all supported upon spread footings.

Span Configuration : (W) 1 @ 12.5 m (E) c/c

LOAD CAPACITY AND RATINGS

Design Live Load: M-13.5 OR H-15	
Inventory Rating: 25.4 metric tonnes	Calculation Method: NO RATING ANALYSIS
Operating Rating: 40.8 metric tonnes	Calculation Method: NO RATING ANALYSIS
Permit Rating : PGGGG	
Posting Load : Type 3: <u>Legal</u>	Type 3S2: <u>Legal</u> Type 3-3: <u>Legal</u>

DESCRIPTION ON STRUCTURE

Deck X-Section: (S) 0.5 m br, 2 @ 3.6 m, 0.5 m br (N)		
Total Width: 8.2 m	Net Width: 7.3 m	No. of Lanes: 2
Rail Description: MBBR		Rail Code : 1000
Min. Vertical Clearance: Unimpaired		

DESCRIPTION UNDER STRUCTURE

Channel Description: Natural earth trapezoidal with a cobbled bottom.

INSPECTION COMMENTARY

CONDITION OF STRUCTURE

There was 200mm of water running near west abutment wall; all elements were visually inspected.

There are 2 transverse hairline crack in the soffit with white light efflorescence in every bay.

The concrete deck surface is exhibit 60% light scaling due to the weather and age, and unsealed transverse cracks 0.5 mm wide and 300 mm spacing.

PAINT CONDITION

Steel girder paint is in good condition.

ELEMENT INSPECTION RATINGS

Elem No.	Element Description	Env	Total Qty Units	Qty in each Condition State				
				St. 1	St. 2	St. 3	St. 4	St. 5
12	Concrete Deck - Bare	2	90 sq.m.	90	0	0	0	0
107	Painted Steel Open Girder/Beam	2	52 m.	52	0	0	0	0
215	Reinforced Conc Abutment	2	24 m.	24	0	0	0	0
337	Metal Railing (W6X25 Posts)	2	26 m.	26	0	0	0	0

WORK RECOMMENDATIONS

RecDate: 07/12/2011

EstCost:

Seal the deck cracks with methacrylate.

Action : Deck-Methacrylate

StrTarget: 2 YEARS


Work By: LOCAL AGENCY

DistTarget:

Status : PROPOSED

EA:

Inspected By : MT.Zaarour/A.Shenouda


 Mikhael T. Zaarour (Registered Civil Engineer)


STRUCTURE INVENTORY AND APPRAISAL REPORT

***** IDENTIFICATION *****

(1) STATE NAME- CALIFORNIA 069
 (8) STRUCTURE NUMBER 55C0178
 (5) INVENTORY ROUTE (ON/UNDER)- ON 140000000
 (2) HIGHWAY AGENCY DISTRICT 12
 (3) COUNTY CODE 059 (4) PLACE CODE 00000
 (6) FEATURE INTERSECTED- SILVERADO CANYON CREEK
 (7) FACILITY CARRIED- SILVERADO CANYON RD
 (9) LOCATION- 4.9 MI. E/O SANTIAGO ROAD
 (11) MILEPOINT/KILOMETERPOINT 0
 (12) BASE HIGHWAY NETWORK- NOT ON NET 0
 (13) LRS INVENTORY ROUTE & SUBROUTE
 (16) LATITUDE 33 DEG 44 MIN 45.99 SEC
 (17) LONGITUDE 117 DEG 36 MIN 20.71 SEC
 (98) BORDER BRIDGE STATE CODE % SHARE %
 (99) BORDER BRIDGE STRUCTURE NUMBER

***** STRUCTURE TYPE AND MATERIAL *****

(43) STRUCTURE TYPE MAIN:MATERIAL- STEEL
 TYPE- STRINGER/MULTI-BEAM OR GDR CODE 302
 (44) STRUCTURE TYPE APPR:MATERIAL- OTHER/NA
 TYPE- OTHER/NA CODE 000
 (45) NUMBER OF SPANS IN MAIN UNIT 1
 (46) NUMBER OF APPROACH SPANS 0
 (107) DECK STRUCTURE TYPE- CIP CONCRETE CODE 1
 (108) WEARING SURFACE / PROTECTIVE SYSTEM:
 A) TYPE OF WEARING SURFACE- NONE CODE 0
 B) TYPE OF MEMBRANE- NONE CODE 0
 C) TYPE OF DECK PROTECTION- NONE CODE 0

***** AGE AND SERVICE *****

(27) YEAR BUILT 1947
 (106) YEAR RECONSTRUCTED 0000
 (42) TYPE OF SERVICE: ON- HIGHWAY 1
 UNDER- WATERWAY 5
 (28) LANES:ON STRUCTURE 02 UNDER STRUCTURE 00
 (29) AVERAGE DAILY TRAFFIC 2000
 (30) YEAR OF ADT 2009 (109) TRUCK ADT 1 %
 (19) BYPASS, DETOUR LENGTH 199 KM

***** GEOMETRIC DATA *****

(48) LENGTH OF MAXIMUM SPAN 12.5 M
 (49) STRUCTURE LENGTH 12.8 M
 (50) CURB OR SIDEWALK: LEFT 0.0 M RIGHT 0.0 M
 (51) BRIDGE ROADWAY WIDTH CURB TO CURB 7.3 M
 (52) DECK WIDTH OUT TO OUT 8.2 M
 (32) APPROACH ROADWAY WIDTH (W/SHOULDERS) 6.4 M
 (33) BRIDGE MEDIAN- NO MEDIAN 0
 (34) SKEW 45 DEG (35) STRUCTURE FLARED NO
 (10) INVENTORY ROUTE MIN VERT CLEAR 99.99 M
 (47) INVENTORY ROUTE TOTAL HORIZ CLEAR 7.3 M
 (53) MIN VERT CLEAR OVER BRIDGE RDWY 99.99 M
 (54) MIN VERT UNDERCLEAR REF- NOT H/RR 0.00 M
 (55) MIN LAT UNDERCLEAR RT REF- NOT H/RR 0.0 M
 (56) MIN LAT UNDERCLEAR LT 0.0 M

***** NAVIGATION DATA *****

(38) NAVIGATION CONTROL- NOT APPLICABLE CODE N
 (111) PIER PROTECTION- CODE
 (39) NAVIGATION VERTICAL CLEARANCE 0.0 M
 (116) VERT-LIFT BRIDGE NAV MIN VERT CLEAR M
 (40) NAVIGATION HORIZONTAL CLEARANCE 0.0 M

 SUFFICIENCY RATING = 55.0
 STATUS
 HEALTH INDEX 100.0
 PAINT CONDITION INDEX = 100.0

***** CLASSIFICATION ***** CODE

(112) NBIS BRIDGE LENGTH- YES Y
 (104) HIGHWAY SYSTEM- NOT ON NHS 0
 (26) FUNCTIONAL CLASS- COLLECTOR URBAN 17
 (100) DEFENSE HIGHWAY- NOT STRAHNET 0
 (101) PARALLEL STRUCTURE- NONE EXISTS N
 (102) DIRECTION OF TRAFFIC- 2 WAY 2
 (103) TEMPORARY STRUCTURE-
 (105) FED.LANDS HWY- NOT APPLICABLE 0
 (110) DESIGNATED NATIONAL NETWORK - NOT ON NET 0
 (20) TOLL- ON FREE ROAD 3
 (21) MAINTAIN- COUNTY HIGHWAY AGENCY 02
 (22) OWNER- COUNTY HIGHWAY AGENCY 02
 (37) HISTORICAL SIGNIFICANCE- NOT ELIGIBLE 5

***** CONDITION ***** CODE

(58) DECK 7
 (59) SUPERSTRUCTURE 7
 (60) SUBSTRUCTURE 7
 (61) CHANNEL & CHANNEL PROTECTION 8
 (62) CULVERTS N

***** LOAD RATING AND POSTING ***** CODE

(31) DESIGN LOAD- M-13.5 OR H-15 2
 (63) OPERATING RATING METHOD- NO RATING ANALYSIS 5
 (64) OPERATING RATING- 40.8
 (65) INVENTORY RATING METHOD- NO RATING ANALYSIS 5
 (66) INVENTORY RATING- 25.4
 (70) BRIDGE POSTING- EQUAL TO OR ABOVE LEGAL LOADS 5
 (41) STRUCTURE OPEN, POSTED OR CLOSED- A
 DESCRIPTION- OPEN, NO RESTRICTION

***** APPRAISAL ***** CODE

(67) STRUCTURAL EVALUATION 6
 (68) DECK GEOMETRY 4
 (69) UNDERCLEARANCES, VERTICAL & HORIZONTAL N
 (71) WATER ADEQUACY 9
 (72) APPROACH ROADWAY ALIGNMENT 6
 (36) TRAFFIC SAFETY FEATURES 1000
 (113) SCOUR CRITICAL BRIDGES 8

***** PROPOSED IMPROVEMENTS *****

(75) TYPE OF WORK- CODE
 (76) LENGTH OF STRUCTURE IMPROVEMENT M
 (94) BRIDGE IMPROVEMENT COST
 (95) ROADWAY IMPROVEMENT COST
 (96) TOTAL PROJECT COST
 (97) YEAR OF IMPROVEMENT COST ESTIMATE
 (114) FUTURE ADT 4121
 (115) YEAR OF FUTURE ADT 2029

***** INSPECTIONS *****

(90) INSPECTION DATE 07/11 (91) FREQUENCY 24 MO
 (92) CRITICAL FEATURE INSPECTION: (93) CFI DATE
 A) FRACTURE CRIT DETAIL- NO MO A)
 B) UNDERWATER INSP- NO MO B)
 C) OTHER SPECIAL INSP- NO MO C)