



DEPARTMENT OF TRANSPORTATION
Structure Maintenance & Investigations

Bridge Number : 55C0178
Facility Carried: SILVERADO CANYN RD
Location : 4.9 MI. E/O SANTIAGO ROA
City :
Inspection Date : 12/14/2013
Inspection Type
Routine FC Underwater Special Other
☒

Bridge Inspection Report

STRUCTURE NAME: SILVERADO CANYON CREEK

CONSTRUCTION INFORMATION

Year Built : 1947 Skew (degrees): 45
Year Widened: N/A No. of Joints : 0
Length (m) : 12.8 No. of Hinges : 0

Structure Description: Simply supported single span steel girders (4 each) with RC open end seat abutments, all supported upon spread footings.

Span Configuration : (W) 1 @ 12.5 m (E) c/c

SAFE LOAD CAPACITY AND RATINGS

Design Live Load: M-13.5 OR H-15
Inventory Rating: 25.4 metric tons Calculation Method: NO RATING ANALYSIS
Operating Rating: 40.8 metric tons Calculation Method: NO RATING ANALYSIS
Permit Rating : PGGGG
Posting Load : Type 3: Legal Type 3S2: Legal Type 3-3: Legal

DESCRIPTION ON STRUCTURE

Deck X-Section: (S) 0.5 m br, 7.2 m, 0.5 m br (N)
Total Width: 8.2 m Net Width: 7.3 m No. of Lanes: 2 Speed: 25 mph
Min. Vertical Clearance: Unimpaired
Rail Code: 1000 Rail Description: MBBR

DESCRIPTION UNDER STRUCTURE

Channel Description: Natural earth trapezoidal with a cobbled bottom.

INSPECTION COMMENTARY

SCOPE AND ACCESS

The water in the channel is 8" deep, so all substructure elements were visually inspected.

REVISIONS

Smart flag 358 (Deck cracking) was added (State 2).
Smart flag 359 (Soffit) was added (State 2).

MISCELLANEOUS

Photo underside of this structure was taken and is included with this report.

A new stream section was performed at this time and is included in this report.

DECK AND ROADWAY

The concrete deck surface exhibits 60% light scaling due to weather and aging, and unsealed transverse cracks 0.5 mm wide, 12" spaced apart and 4 ft long.

INSPECTION COMMENTARY

The soffit exhibits two transverse cracks 4 ft long in the soffit with white light efflorescence in every bay.

SUPERSTRUCTURE

The steel girders are in good condition, no significant defects were visually seen during this inspection.

SUBSTRUCTURE

West abutment exhibits a vertical crack 1.0 mm wide under girder #3.

ELEMENT INSPECTION RATINGS

Elem No.	Element Description	Env	Total Qty Units	Qty in each Condition State				
				St. 1	St. 2	St. 3	St. 4	St. 5
12	Concrete Deck - Bare	2	90 sq.m.	90	0	0	0	0
107	Painted Steel Open Girder/Beam	2	52 m.	52	0	0	0	0
215	Reinforced Conc Abutment	2	24 m.	24	0	0	0	0
337	Metal Railing (W6X25 Posts)	2	26 m.	26	0	0	0	0
358	Deck Cracking	2	1 ea.	0	1	0	0	0
359	Soffit of Concrete Deck or Slab	2	1 ea.	0	1	0	0	0

WORK RECOMMENDATIONS

RecDate: 07/12/2011	EstCost:	Seal the deck cracks with methacrylate.
Action : Deck-Methacrylate	StrTarget: 2 YEARS	
Work By: LOCAL AGENCY	DistTarget:	
Status : PROPOSED	EA:	

CHANNEL X-SECTION


Side : Upstream
Measured From : Top of rail. (North) H=1.04m

X-Section Date: 12/14/2013

Location	Horiz (m)	Vert (m)	Comments
Abutment 1	0.00	3.30	Face of the west abutment
	1.80	3.45	toe of rock
	2.00	2.95	top of rock
	4.15	2.80	top of slope
	6.55	3.57	west edge of water
	7.45	3.75	Thalweg
	8.45	3.55	east edge of water
	10.20	3.40	
Abutment 2	12.00	3.30	Face of the east abutment.

Team Leader : Ashraf Shenouda
Report Author : Ashraf Shenouda
Inspected By : A. Shenouda/KD. Henderson

Ashraf Shenouda 2/10/14
Ashraf Shenouda (Registered Civil Engineer) (Date)



STRUCTURE INVENTORY AND APPRAISAL REPORT

***** IDENTIFICATION *****

(1) STATE NAME- CALIFORNIA 069
 (8) STRUCTURE NUMBER 55C0178
 (5) INVENTORY ROUTE(ON/UNDER)- ON 140000000
 (2) HIGHWAY AGENCY DISTRICT 12
 (3) COUNTY CODE 059 (4) PLACE CODE 00000
 (6) FEATURE INTERSECTED- SILVERADO CANYON CREEK
 (7) FACILITY CARRIED- SILVERADO CANYN RD
 (9) LOCATION- 4.9 MI. E/O SANTIAGO ROAD
 (11) MILEPOINT/KILOMETERPOINT 0
 (12) BASE HIGHWAY NETWORK- NOT ON NET 0
 (13) LRS INVENTORY ROUTE & SUBROUTE
 (16) LATITUDE 33 DEG 44 MIN 45.99 SEC
 (17) LONGITUDE 117 DEG 36 MIN 20.71 SEC
 (98) BORDER BRIDGE STATE CODE % SHARE %
 (99) BORDER BRIDGE STRUCTURE NUMBER

***** STRUCTURE TYPE AND MATERIAL *****

(43) STRUCTURE TYPE MAIN:MATERIAL- STEEL
 TYPE- STRINGER/MULTI-BEAM OR GDR CODE 302
 (44) STRUCTURE TYPE APPR:MATERIAL- OTHER/NA
 TYPE- OTHER/NA CODE 000
 (45) NUMBER OF SPANS IN MAIN UNIT 1
 (46) NUMBER OF APPROACH SPANS 0
 (107) DECK STRUCTURE TYPE- CIP CONCRETE CODE 1
 (108) WEARING SURFACE / PROTECTIVE SYSTEM:
 A) TYPE OF WEARING SURFACE- NONE CODE 0
 B) TYPE OF MEMBRANE- NONE CODE 0
 C) TYPE OF DECK PROTECTION- NONE CODE 0

***** AGE AND SERVICE *****

(27) YEAR BUILT 1947
 (106) YEAR RECONSTRUCTED 0000
 (42) TYPE OF SERVICE: ON- HIGHWAY 1
 UNDER- WATERWAY 5
 (28) LANES:ON STRUCTURE 02 UNDER STRUCTURE 00
 (29) AVERAGE DAILY TRAFFIC 2000
 (30) YEAR OF ADT 2009 (109) TRUCK ADT 1 %
 (19) BYPASS, DETOUR LENGTH 199 KM

***** GEOMETRIC DATA *****

(48) LENGTH OF MAXIMUM SPAN 12.5 M
 (49) STRUCTURE LENGTH 12.8 M
 (50) CURB OR SIDEWALK: LEFT 0.0 M RIGHT 0.0 M
 (51) BRIDGE ROADWAY WIDTH CURB TO CURB 7.3 M
 (52) DECK WIDTH OUT TO OUT 8.2 M
 (32) APPROACH ROADWAY WIDTH (W/SHOULDERS) 6.4 M
 (33) BRIDGE MEDIAN- NO MEDIAN 0
 (34) SKEW 45 DEG (35) STRUCTURE FLARED NO
 (10) INVENTORY ROUTE MIN VERT CLEAR 99.99 M
 (47) INVENTORY ROUTE TOTAL HORIZ CLEAR 7.3 M
 (53) MIN VERT CLEAR OVER BRIDGE RDWY 99.99 M
 (54) MIN VERT UNDERCLEAR REF- NOT H/RR 0.00 M
 (55) MIN LAT UNDERCLEAR RT REF- NOT H/RR 0.0 M
 (56) MIN LAT UNDERCLEAR LT 0.0 M

***** NAVIGATION DATA *****

(38) NAVIGATION CONTROL- NOT APPLICABLE CODE N
 (111) PIER PROTECTION- CODE
 (39) NAVIGATION VERTICAL CLEARANCE 0.0 M
 (116) VERT-LIFT BRIDGE NAV MIN VERT CLEAR M
 (40) NAVIGATION HORIZONTAL CLEARANCE 0.0 M

***** SUFFICIENCY RATING *****

SUFFICIENCY RATING = 54.0
 STATUS
 HEALTH INDEX 100.0
 PAINT CONDITION INDEX = 100.0

***** CLASSIFICATION ***** CODE

(112) NBIS BRIDGE LENGTH- YES Y
 (104) HIGHWAY SYSTEM- NOT ON NHS 0
 (26) FUNCTIONAL CLASS- COLLECTOR URBAN 17
 (100) DEFENSE HIGHWAY- NOT STRAHNET 0
 (101) PARALLEL STRUCTURE- NONE EXISTS N
 (102) DIRECTION OF TRAFFIC- 2 WAY 2
 (103) TEMPORARY STRUCTURE-
 (105) FED.LANDS HWY- NOT APPLICABLE 0
 (110) DESIGNATED NATIONAL NETWORK - NOT ON NET 0
 (20) TOLL- ON FREE ROAD 3
 (21) MAINTAIN- COUNTY HIGHWAY AGENCY 02
 (22) OWNER- COUNTY HIGHWAY AGENCY 02
 (37) HISTORICAL SIGNIFICANCE- NOT ELIGIBLE 5

***** CONDITION ***** CODE

(58) DECK 5
 (59) SUPERSTRUCTURE 7
 (60) SUBSTRUCTURE 7
 (61) CHANNEL & CHANNEL PROTECTION 8
 (62) CULVERTS N

***** LOAD RATING AND POSTING ***** CODE

(31) DESIGN LOAD- M-13.5 OR H-15 2
 (63) OPERATING RATING METHOD- NO RATING ANALYSIS 5
 (64) OPERATING RATING- 40.8
 (65) INVENTORY RATING METHOD- NO RATING ANALYSIS 5
 (66) INVENTORY RATING- 25.4
 (70) BRIDGE POSTING- EQUAL TO OR ABOVE LEGAL LOADS 5
 (41) STRUCTURE OPEN, POSTED OR CLOSED- A
 DESCRIPTION- OPEN, NO RESTRICTION

***** APPRAISAL ***** CODE

(67) STRUCTURAL EVALUATION 6
 (68) DECK GEOMETRY 4
 (69) UNDERCLEARANCES, VERTICAL & HORIZONTAL N
 (71) WATER ADEQUACY 9
 (72) APPROACH ROADWAY ALIGNMENT 6
 (36) TRAFFIC SAFETY FEATURES 1000
 (113) SCOUR CRITICAL BRIDGES 8

***** PROPOSED IMPROVEMENTS *****

(75) TYPE OF WORK- CODE
 (76) LENGTH OF STRUCTURE IMPROVEMENT M
 (94) BRIDGE IMPROVEMENT COST
 (95) ROADWAY IMPROVEMENT COST
 (96) TOTAL PROJECT COST
 (97) YEAR OF IMPROVEMENT COST ESTIMATE
 (114) FUTURE ADT 4121
 (115) YEAR OF FUTURE ADT 2029

***** INSPECTIONS *****

(90) INSPECTION DATE 12/13 (91) FREQUENCY 24 MO
 (92) CRITICAL FEATURE INSPECTION: (93) CFI DATE
 A) FRACTURE CRIT DETAIL- NO MO A)
 B) UNDERWATER INSP- NO MO B)
 C) OTHER SPECIAL INSP- NO MO C)