



**DEPARTMENT OF TRANSPORTATION**  
Structure Maintenance & Investigations

Bridge Number : 55C0574  
Facility Carried: BENT TWIG LANE  
Location : 0.1 MI. NW/O BROWNING AV  
City :  
Inspection Date : 02/07/2018  
Inspection Type  
Routine ☒ FC ☐ Underwater ☐ Special ☐ Other ☐

**Bridge Inspection Report**

**STRUCTURE NAME:** REDHILL CHANNEL

**CONSTRUCTION INFORMATION**

Year Built : 1980 Skew (degrees): 0  
Year Modified: 1989 No. of Joints : 0  
Length (m) : 8.8 No. of Hinges : 0

Structure Description: Triple 2.7 m W x 1.5 m H x 14.3 m L RC box culvert (grade top)  
beneath 0.3 m of earth fill.

Span Configuration : (W) 3 @ 2.7 m (E) clear, normal

**SAFE LOAD CAPACITY AND RATINGS**

Design Live Load: UNKNOWN  
Inventory Rating: RF=1.00 =>32.4 metric tons Calculation Method: FIELD EVAL/ENG JUDGMENT  
Operating Rating: RF=1.67 =>54.1 metric tons Calculation Method: FIELD EVAL/ENG JUDGMENT  
Permit Rating : PPPPP  
Posting Load : Type 3: Legal Type 3S2: Legal Type 3-3: Legal

**DESCRIPTION ON STRUCTURE**

Deck X-Section: (S) 0.2 m cu, 1.3 m sw, 10.8 m, 1.3 m sw, 0.2 m br (N)  
Total Width: 13.7 m Net Width: 10.8 m No. of Lanes: 2 Speed: 25 mph  
Min. Vertical Clearance: Unimpaired Overlay Thickness: 3.0 inches  
Rail Code: 0000 Rail Description: Chain link fence.

**DESCRIPTION UNDER STRUCTURE**

Channel Description: RC rectangular.

**NOTICE**

The bridge inspection condition assessment used for this inspection is based on the American Association of State Highway and Transportation Officials (AASHTO) Bridge Element Inspection Manual 2013 as defined in Moving Ahead for Progress in the 21st Century (MAP-21) federal law. The new element inspection methodology may result in changes to related condition and appraisal ratings on the bridge without significant physical changes at the bridge.

The element condition information contained in this report represents the current condition of the bridge based on the most recent routine and special inspections. Some of the notes presented below may be from an inspection that occurred prior to the date noted in this report. Refer to the Scope and Access section of this inspection report for a description of which portions of the bridge were inspected on this date.

**INSPECTION COMMENTARY**

**SCOPE AND ACCESS**

A routine inspection was performed by Y. Chen and M. Monajemi. The conditions of AC pavement surface and rails on the top of the bridge were inspected by walking along the sidewalks. The conditions of culvert cells were inspected at the corners of the abutments and with the aid of binoculars. At the time of inspection, there was up to 1-inch deep water on the bottom of both culvert cells.

**MISCELLANEOUS**

There are a couple of concrete spalls at the chainlink fence bases:

**INSPECTION COMMENTARY**

at the south eastern corner of the culvert with rebars exposed, 16 inches x 12 inches x 3 inches;  
 at western side of the structure above Wall 3, 12 inches x 4 inches x 2 inches.

**SAFE LOAD CAPACITY**

The load rating for this structure is being reviewed by SMI Ratings Branch, an updated Load Rating Summary will be archived when this review is complete. The latest Load Rating Summary Sheet prepared by ABME is archived on 09/22/2015 for this structure.

**ELEMENT INSPECTION RATINGS AND COMMENTARY**

Elem No.	Defect /Prot	Defect	Element Description	Env	Total Qty	Units	Qty in each Condition State			
							St. 1	St. 2	St. 3	St. 4
241			Culvert-RC	2	42	m	42	0	0	0
(241)										
There were no significant defects noted.										

**WORK RECOMMENDATIONS**

RecDate: 02/07/2018	EstCost:	Locate all chainlink fence base spalls,
Action : Super-Patch spalls	StrTarget: 2 YEARS	remove unsound concrete, clean and patch
Work By: LOCAL AGENCY	DistTarget:	the spalled areas.
Status : PROPOSED	EA:	

Team Leader : Young Chen

Report Author : Young Chen

Inspected By : Y.Chen/MM.Monajemi

Young Chen (Registered Civil Engineer) 6/12/2018 (Date)



**STRUCTURE INVENTORY AND APPRAISAL REPORT**

## \*\*\*\*\* IDENTIFICATION \*\*\*\*\*

(1) STATE NAME- CALIFORNIA 069  
 (8) STRUCTURE NUMBER 55C0574  
 (5) INVENTORY ROUTE(ON/UNDER)- ON 140000000  
 (2) HIGHWAY AGENCY DISTRICT 12  
 (3) COUNTY CODE 059 (4) PLACE CODE 00000  
 (6) FEATURE INTERSECTED- REDHILL CHANNEL  
 (7) FACILITY CARRIED- BENT TWIG LANE  
 (9) LOCATION- 0.1 MI. NW/O BROWNING AVE  
 (11) MILEPOINT/KILOMETERPOINT 0  
 (12) BASE HIGHWAY NETWORK- NOT ON NET 0  
 (13) LRS INVENTORY ROUTE & SUBROUTE  
 (16) LATITUDE 33 DEG 44 MIN 19.55 SEC  
 (17) LONGITUDE 117 DEG 48 MIN 06.11 SEC  
 (98) BORDER BRIDGE STATE CODE % SHARE %  
 (99) BORDER BRIDGE STRUCTURE NUMBER

## \*\*\*\*\* STRUCTURE TYPE AND MATERIAL \*\*\*\*\*

(43) STRUCTURE TYPE MAIN:MATERIAL- CONCRETE  
 TYPE- CULVERT CODE 119  
 (44) STRUCTURE TYPE APPR:MATERIAL- OTHER/NA  
 TYPE- OTHER/NA CODE 000  
 (45) NUMBER OF SPANS IN MAIN UNIT 3  
 (46) NUMBER OF APPROACH SPANS 0  
 (107) DECK STRUCTURE TYPE- NOT APPLICABLE CODE N  
 (108) WEARING SURFACE / PROTECTIVE SYSTEM:  
 A) TYPE OF WEARING SURFACE- NOT APPLICABLE CODE N  
 B) TYPE OF MEMBRANE- NOT APPLICABLE CODE N  
 C) TYPE OF DECK PROTECTION- NOT APPLICABLE CODE N

## \*\*\*\*\* AGE AND SERVICE \*\*\*\*\*

(27) YEAR BUILT 1980  
 (106) YEAR RECONSTRUCTED 1989  
 (42) TYPE OF SERVICE: ON- HIGHWAY-PEDESTRIAN 5  
 UNDER- WATERWAY 5  
 (28) LANES:ON STRUCTURE 02 UNDER STRUCTURE 00  
 (29) AVERAGE DAILY TRAFFIC 500  
 (30) YEAR OF ADT 2011 (109) TRUCK ADT 1 %  
 (19) BYPASS, DETOUR LENGTH 2 KM

## \*\*\*\*\* GEOMETRIC DATA \*\*\*\*\*

(48) LENGTH OF MAXIMUM SPAN 2.7 M  
 (49) STRUCTURE LENGTH 8.8 M  
 (50) CURB OR SIDEWALK: LEFT 1.3 M RIGHT 1.3 M  
 (51) BRIDGE ROADWAY WIDTH CURB TO CURB 10.8 M  
 (52) DECK WIDTH OUT TO OUT 13.7 M  
 (32) APPROACH ROADWAY WIDTH (W/SHOULDERS) 10.8 M  
 (33) BRIDGE MEDIAN- CLOSED (NO BARRIER) 2  
 (34) SKEW 0 DEG (35) STRUCTURE FLARED NO  
 (10) INVENTORY ROUTE MIN VERT CLEAR 99.99 M  
 (47) INVENTORY ROUTE TOTAL HORIZ CLEAR 10.8 M  
 (53) MIN VERT CLEAR OVER BRIDGE RDWY 99.99 M  
 (54) MIN VERT UNDERCLEAR REF- NOT H/RR 0.00 M  
 (55) MIN LAT UNDERCLEAR RT REF- NOT H/RR 0.0 M  
 (56) MIN LAT UNDERCLEAR LT 0.0 M

## \*\*\*\*\* NAVIGATION DATA \*\*\*\*\*

(38) NAVIGATION CONTROL- NOT APPLICABLE CODE N  
 (111) PIER PROTECTION- CODE  
 (39) NAVIGATION VERTICAL CLEARANCE 0.0 M  
 (116) VERT-LIFT BRIDGE NAV MIN VERT CLEAR M  
 (40) NAVIGATION HORIZONTAL CLEARANCE 0.0 M

## \*\*\*\*\* SUFFICIENCY RATING \*\*\*\*\*

SUFFICIENCY RATING = 97.0  
 STATUS  
 HEALTH INDEX 100.0  
 PAINT CONDITION INDEX = N/A

## \*\*\*\*\* CLASSIFICATION \*\*\*\*\* CODE

(112) NBIS BRIDGE LENGTH- YES Y  
 (104) HIGHWAY SYSTEM- NOT ON NHS 0  
 (26) FUNCTIONAL CLASS- COLLECTOR URBAN 17  
 (100) DEFENSE HIGHWAY- NOT STRAHNET 0  
 (101) PARALLEL STRUCTURE- NONE EXISTS N  
 (102) DIRECTION OF TRAFFIC- 2 WAY 2  
 (103) TEMPORARY STRUCTURE-  
 (105) FED.LANDS HWY- NOT APPLICABLE 0  
 (110) DESIGNATED NATIONAL NETWORK - NOT ON NET 0  
 (20) TOLL- ON FREE ROAD 3  
 (21) MAINTAIN- COUNTY HIGHWAY AGENCY 02  
 (22) OWNER- COUNTY HIGHWAY AGENCY 02  
 (37) HISTORICAL SIGNIFICANCE- NOT ELIGIBLE 5

## \*\*\*\*\* CONDITION \*\*\*\*\* CODE

(58) DECK N  
 (59) SUPERSTRUCTURE N  
 (60) SUBSTRUCTURE N  
 (61) CHANNEL & CHANNEL PROTECTION 9  
 (62) CULVERTS 7

## \*\*\*\*\* LOAD RATING AND POSTING \*\*\*\*\* CODE

(31) DESIGN LOAD- UNKNOWN 0  
 (63) OPERATING RATING METHOD- FIELD EVAL/ENG JUD 0  
 (64) OPERATING RATING- 54.1  
 (65) INVENTORY RATING METHOD- FIELD EVAL/ENG JUL 0  
 (66) INVENTORY RATING- 32.4  
 (70) BRIDGE POSTING- EQUAL TO OR ABOVE LEGAL LOADS 5  
 (41) STRUCTURE OPEN, POSTED OR CLOSED- A  
 DESCRIPTION- OPEN, NO RESTRICTION

## \*\*\*\*\* APPRAISAL \*\*\*\*\* CODE

(67) STRUCTURAL EVALUATION 7  
 (68) DECK GEOMETRY 6  
 (69) UNDERCLEARANCES, VERTICAL & HORIZONTAL N  
 (71) WATER ADEQUACY 9  
 (72) APPROACH ROADWAY ALIGNMENT 8  
 (36) TRAFFIC SAFETY FEATURES 0000  
 (113) SCOUR CRITICAL BRIDGES 8

## \*\*\*\*\* PROPOSED IMPROVEMENTS \*\*\*\*\*

(75) TYPE OF WORK- CODE  
 (76) LENGTH OF STRUCTURE IMPROVEMENT M  
 (94) BRIDGE IMPROVEMENT COST  
 (95) ROADWAY IMPROVEMENT COST  
 (96) TOTAL PROJECT COST  
 (97) YEAR OF IMPROVEMENT COST ESTIMATE  
 (114) FUTURE ADT 937  
 (115) YEAR OF FUTURE ADT 2037

## \*\*\*\*\* INSPECTIONS \*\*\*\*\*

(90) INSPECTION DATE 02/18 (91) FREQUENCY 48 MO  
 (92) CRITICAL FEATURE INSPECTION: (93) CFI DATE  
 A) FRACTURE CRIT DETAIL- NO MO A)  
 B) UNDERWATER INSP- NO MO B)  
 C) OTHER SPECIAL INSP- NO MO C)